



Standard Rhino Barrier

SPECIFICATION SHEET



Standard Rhino Barrier

Our easy to assemble and robust Rhino barriers are available for purchase or hire and delivered nationwide, they are ideal for multiple traffic management applications at construction sites and outdoor events, on motorways and more besides.

Water-filled Rhino barriers are fully compatible with SafeSite

Facilities' fence and hoarding extensions, allowing you to create highly visible walls around vulnerable and/or potentially hazardous areas. The innovative yet simple interlocking and rotating pin design of these adaptable, heavy duty barriers allows neat and gapless turning around corners, ensuring security and strength is in no way compromised.

Deployment is hassle-free and unauthorised manipulation almost impossible when each barrier is in its position and filled with water or sand.

Rhino Barrier Specification

Length	Height	Width	Weight Empty	Weight Full
2000mm	900mm	650mm	70kg	470kg
Up to 216 metres per load				

Key Features

- Heavy duty, robust water filled barrier
- Hire and purchase options to suit specific needs
- Interlocking design provides strength and security
- Compatible with mesh and hoarding panels
- Ideal for road and construction site safety
- Easy to transport and install
- Up to 216 metres per load
- Nationwide delivery
- Highly visible

★ Trustpilot



Weight Empty 70kg - Weight Full 470kg



Interlocking Design Enables Corners



Securely Joined Rhino Barriers



Technical Details

