



Product IDs

RB500 (Red) - WFS150600
RB1000 (Red) - WFS150630
RB1300 (Red) - WFS150660
RB1500 (Red) - WFS150680

SafeSite Facilities

RB Track Safety Barriers

Specification Sheet

safesite[®]
F A C I L I T I E S

safesitefacilities.co.uk



RB track safety barriers

Our road, track and site safety barriers are ideal for creating easy to reconfigure racetracks, go kart tracks.

The barriers come in different lengths - 1, 1.3 and 1.5 metres lengths and are ideally suited to creating sweeping bends, s-shapes and circles.

Each barrier (also known as rota barriers) locks into the next using a pin system. Because the barriers interlock so neatly, (without the need for extra pins and plates), they form a strong, reliable join.

The lightest barriers in the range weigh just 8.5 kg, the heaviest just 14.5 kg which means that trying different shapes and patterns in how the barriers are placed is easy.

The barriers are made from UV stabilised high density plastic so they durable in all weather conditions. The barriers are typically filled with water, but can also be filled with sand for a more permanent solution.

Key Features

- › Easy to position
- › Perfect for circles and s-shapes
- › Can be filled with water or ballast
- › Recyclable
- › Interlocks securely
- › Stackable design

Size and dimensions

Measurements in mm

Model	Length	Width	Height	Weight (kg)	Weight Full	Product ID
500	1250	400	300	10	130	Red WFS150600
500	1250	400	300	10	130	White WFS150610
1000	1000	400	500	10	160	Red WFS150630
1000	1000	400	500	10	160	White WFS150640
1300	1100	330	360	8.5	96	Red WFS150660
1300	1100	330	360	8.5	96	White WFS150670
1500	1500	400	500	14.5	266	Red WFS150680
1500	1500	400	500	14.5	266	White WFS150690

RB1000 Barrier's used for a boundary



RB1000 Barriers used for a go kart track





Unit 1, Martello Enterprise Centre, Courtwick Lane,
Littlehampton, West Sussex, BN17 7PA



info@safesitefacilities.co.uk



www.safesitefacilities.co.uk

The product information included in this document is correct at the time of print. Some of the details and specifications featured may change without prior notice. Please visit our website or contact our sales team for the most up-to-date information.