



SafeSite Facilities

Speed Ramp

Specification Sheet

safesite[®]
F A C I L I T I E S




Speed Ramps

Vehicles travelling too fast can be extremely dangerous to pedestrians and other road users, SafeSite Facilities speed ramps are perfect for temporary or permanent traffic control.

Highly visible during the day due to their contrasting yellow and black colour sections, but also easy to see at night time due to the built in reflective cats eyes.

Each section is securely fixed to the floor using four heavy duty bolts, and has good grip in wet conditions thanks to the ramps chequered grip formation.



Speed Ramp Specification

Length	Width	Height	Load Capacity	Weight
500mm	420mm	50mm	44 Tonnes	8.2kg
500mm	485mm	75mm	44 Tonnes	13kg

Key Features

- > Easy to install traffic calming ramps
- > Made from recycled material and is recyclable
- > White reflectors in each section make for good visibility at night and in bad weather
- > Designed to be installed on good condition concrete or asphalt surfaces that are at least 100mm deep
- > Recess underneath to allow pipes / cables
- > Can withstand 44 tonne HGV's
- > Chequered grip pattern

Joined Ramps With End Section



Chequered Grip Formation





Available Accessories

Stock Code	Fixing Type
GSFS0050	SafeSite Coach Screws M12 x 75mm
GSFS0057	14 x 75 Nylon Wall Plug





Unit 1, Martello Enterprise Centre, Courtwick Lane,
Littlehampton, West Sussex, BN17 7PA



Tel: 0800 012 5348



www.safesitefacilities.co.uk
info@safesitefacilities.co.uk

