Stock Codes: Red - SBS200310 Orange - SBS200300



SafeSite Facilities

Firmus Barrier

Specification Sheet



safesitefacilities.co.uk



Firmus Barrier

Firmus Barriers offer a quick and easy solution for hazard control and safeguarding pedestrians. The high visibility design of the barrier and unique interlocking design, means that they are an effective way to enclose excavations and hazards.

The barriers measure approximately 1m high and are manufactured from from high density polyethylene (HDPE), perfect for external use.

The barriers interlock and are fixed in position with a universal pin. The Firmus Barriers are typically used when a high visibility, secure yet temporary solutions is required. These are light weight and easy to store, transport and place in position.



Key Features

- > Chapter 8 compliant
- > Light weight and easy to store and transport
- Compatible with additional lighting and high visibility signage
- > Fast, flexible solution for temporary safety barriers
- > Suitable for external use for extended periods
- > Compatibility with other link-pin systems
- > Various safety colours available
- > All our barriers can be delivered anywhere in the UK and are available for hire or purchase.



Firmus connected via hook and eye system



Firmus barriers over drain cover

Protection for pedestrian from works





The Firmus Barrier in action

Please see right for some images of the Firmus Barriers in use. You can see that the safety colours used for this product ensure high visibility and clear warning of hazards for both pedestrians and road users.

The reflective strip on the top section of the barrier enhances visibility after dark and poor weather conditions. There is also plenty of space for additional warning signs and beacons.

We offer an anti-slip feet option, for increasing stability on rough terrain and uneven surfaces. The universal pin and locking system ensure that the barriers are also compatible with other link-pin systems.

Firmus barriers creating walkway








Firmus Barrier

Technical Details



Weight 12kg



Unit 1, Martello Enterprise Centre, Courtwick Lane, Littlehampton, West Sussex, BN17 7PA



info@safesitefacilities.co.uk

www.safesitefacilities.co.uk

The product information included in this document is correct at the time of print. Some of the details and specifications featured may change without prior notice. Please visit our website or contact our sales team for the most up-to-date information.