

safesite

F A C I L I T I E S

Flood Barrier 500mm - SPEC SHEET



Safe Site Flood Barrier 500mm


Our 500mm high Flood Barrier provides a proven and effective flood prevention method. The barrier can be assembled to any length and be arranged to suit any direction and opening. The system can be rapidly deployed by one person.

When in use the majority of the modular units actually fill with the rising flood waters, which combined with the weighted universal keys ensures the assembled flood barrier holds back flood waters. All units and keys incorporate hard-wearing gaskets to ensure sealing.


For acute cornering or wall connection in a Flood Barrier assembly a Multi-hub unit is simply used.

The beauty of this patented flood prevention system is that no bolting to the ground is required. It also means that when the flood waters recede, the pods empty themselves and become light enough to be carried away. They are also a much more cost effective and reliable alternative to flood sandbags.

500mm Dimensions



SIDE VIEW



TOP VIEW



Flood Barrier Effective Solution

Flood insurance is becoming increasingly difficult to obtain, and most home and business owners are aware that they must take responsibility for protecting their properties from the risk of flooding with flood defence barriers.

BENEFITS OF FLOOD BARRIER INCLUDE:

- Rapidly deployable flood defence system
- Can be assembled by one person
- Not affected by strong winds when deployed
- Highly flexible system
- More cost effective and versatile flood protection than sandbags
- Self-balancing with no bolting required
- Multi-hub connection unit allows easy connection to walls and cornering
- Units nest into each other for easy storage
- Recyclable and reusable
- Can be used as leverage to gain flood insurance

Flood Barrier 500mm CAD Diagram

