



safesite[®]

F A C I L I T I E S

2.5m Interlocking Barrier

SPECIFICATION SHEET

2.5m Interlocking Barrier

Our 2.5m interlocking barrier is a heavy duty system designed for ultra tough perimeter protection.

Each unit is cast from high-strength concrete ($50N/mm^2$) and are quick and easy to install. The 2.5m interlocking barriers offer a great solution for traffic management, site security, flood defence, edge protection and rockfall as well as many other temporary works.

It's unique interlocking system provides incredible levels of security against unwanted visitors whilst still allowing sections to be easily removed and repositioned in the event of an emergency.

The barriers are available for delivery on a self-install basis using a standard forklift truck. Alternatively our experienced and fully-trained SafeSite team can complete the installation for you.

2.5m Interlocking Barrier Spec


Length	Width*	Height	Weight
2500mm	610mm	810mm	1450kg

Width at base*

Key Features

- Interlocking design
- High strength concrete
- Used to reroute traffic on roads and motorways
- Unique design ensures minimal vehicle damage
- Ideal for site safety and traffic management
- Rapid deployment
- 50 metres to one load
- Twin grooves are forklift-compatible
- Extra wide bases for maximum stability
- Cost-effective and versatile
- Restrict vehicular access at sites.
- Delivery anywhere in the UK

★ Trustpilot



Unique Interlocking System



Easy To Stack With Forklift Truck

