safesite®

1m Pedestrian Gate

SPECIFICATION SHEET

1m Pedestrian Gate

Provide a secure and convenient entryway to your temporary site for all personnel with a compatible pedestrian gate, and ensure the security of your perimeter is always maintained.


Though relatively lightweight, moving fencing panels when gaining access to a site isn't especially convenient. Available in either an anti-climb galvanised steel mesh or steel panel, this pedestrian gate is a far more effective option, with the added security of a sliding bolt that can be fastened in place with an appropriate padlock. As with all temporary fencing, this product's emphasis is on ease of deployment and storage, it is low-profile and lightweight.


1m Pedestrian Gate Specification Height Width Thickness Weight

2000mm	1151mm	38mm	14.4kg

Key Features

- Compatible with most temporary fencing and hoarding
- Ideal for construction site access
- Available in mesh and solid steel
- Available for hire and purchase
- Nationwide delivery
- Easy installation









1m Pedestrian Gates On Site



1m Pedestrian Gate In Action

The images to the right show the variety of situations which the 1m Pedestrian Gate can be implemented.

Made from weather-resistant galvanised steel, in a choice of solid and anti-climb mesh constructions, pedestrian gates can be fully customised to enhance visibility and safety.


This gate is compatible with most temporary fencing and hoarding on the market, including our stock of temporary fencing and temporary steel hoarding.



Technical Details

sma

Weight 14.4kg








Installation Parts

COMPONENTS YOU WILL NEED

Please see below pictures and quantities of additional parts you may require with each anti-climb pedestrian gate, the parts below are an essential safety requirement when installing the vehicle gate correctly.



Qty 4: Coupler



Qty 1: Spanner



Qty Min 2: Hi-Vis Thermo-Plastic Feet

Components assembled



