



LowPro Trench Cover 15x10

Specification Sheet
STS211330

08/04/25

safesite[®]
FACILITIES



LowPro Trench Cover 15x10

Optimise time and cost on your construction or streetworks site by utilising our low-maintenance yet highly effective trench covers.

Unlike GRP road plates that are part of a linked modular system, our trench covers are designed as single units. This enables deployment by only two people. One notable feature of our Safe Cover is its impressive weight-bearing capacity, supporting vehicles weighing up to 3.5 tonnes.

It effectively covers gaps or trenches up to 900mm wide, providing a secure and level surface for both pedestrians and vehicles. LowPros can also be connected together with long or short infill ramps and strips to fill larger gaps should the need arise. The Hi Vis 10/15 Safe Cover is a practical solution for creating temporary safe pathways and bridging voids in various settings, such as construction sites and roadworks.



Can use Infill strips between trench covers for connecting a seamless path




Can create temporary or semi-permanent road covers

LowPro Trench Cover 15x10 Specification

Description	Size (mm)	Weight (kg)
STS21I1330 – LowPro Trench Cover 15x10	H37 x W1500 x D1000	38
STS21I1275 – LowPro Trench Cover 15x10 Short Infill Strip	H35 x W1500 x D150	2.3
STS21I1285 – LowPro Trench Cover 15x10 Long Infill Strip	H35 x W1000x D150	2

Key Features

- Complies with HAUC's 2018/01 Advice Note
- Designed and manufactured in the UK
- Fitted with gas vents and probe hole
- Designed with the National Grid
- Shock resistant
- Suitable for 3.5 tonne vehicles





Installation parts

1

LowPro 15x10 Short Infill Strip
STS211270




Size (mm)	Weight (kg)
H26 x W800 x D150	1.5

2

LowPro 15x10 Long Infill Strip
STS211280



Size (mm)	Weight (kg)
H26 x W1200 x D150	2



Short Infill strips connected with LowPro 15x10 Trench Cover



Long Infill strips connected with LowPro 15x10 Trench Cover