



V Mesh On Ground Temporary Fencing System

Specification Sheet

TFS101900

11/09/25

safesite[®]
F A C I L I T I E S




V Mesh On Ground Temporary Fencing System

The V Mesh On Ground Temporary Fencing System is a market-leading solution for temporary perimeter protection.

Designed for strength, stability and safety, this robust fencing system is ideal for construction sites, events, and restricted zones where secure, high-visibility barriers are essential.

Built to exceed industry standards, the system is wind-rated to BS EN 1991 and withstands gusts of over 100mph, making it one of the most durable temporary fencing options available.




Close up of the V Mesh



End post with tubs

Key Features

- Wind Load Tested – Rated to BS EN 1991 for wind speeds exceeding 100mph
- Pre-galvanised and then powder coated
- Anti-Trip Design – External hazard-free for improved site safety
- Climb-Resistant – 30mm projecting top spikes deter scaling
- Tamper-Proof Security – Pin Hex fixings for added protection
- 100% recycled base
- Lower carbon footprint than standard hoarding systems
- Quick & secure assembly – Supplied with easy-fix security clips
- Height options include 1800, 2000 or 2400mm
- Width options include 2500 or 3000mm
- Custom colours available



Description	Size (mm)	Mesh Size (mm)	Wire Diameter (mm)
TFSI01900 – V Mesh On Ground Temporary Fencing System	H2400 x W2500 x D60	200 x 500	5




V Mesh Components

This V Mesh fencing is mounted on a patented Fence Safe Base Unit, equipped with a 4-way adjustable bracket and 200kg of ballast per unit. It is designed in full compliance with BS6399-2 or BS EN 1991, depending on your location and site-specific requirements.


- A** - Base
- B** - Fence panel
- C** - Fence Post
- D** - Fence post cap with hooks
- E** - 4-way post adjustment bracket
- F** - 4-way adjustment bracket fixings
- G** - Fence fixings
- H** - Loose or bagged sharp sand

For installation you will also need:

- Battery driver, spare battery and charger
- 13mm Ring spanner
- 13mm Socket and handle tool
- Spirit level
- Shovel



Weight Capacity 200kg






V Mesh On Ground Temporary Fencing System

Why Choose This System?

Unlike traditional Heras-style fencing, this next-generation system combines the rigidity and durability of permanent mesh fencing with the flexibility of a temporary solution. It offers superior safety, reduced environmental impact, and a sleek, professional pre-galvanised and then powder coated finish for any high-security or high-traffic site.

Optional Security Enhancements:

- Barbed or Razor Wire (Straight or Cranked)
- Additional Panel Bracing for exposed sites
- Vehicle & Pedestrian Gate options also available





Technical Details

- A** - 4-way adjustable bracket
- B** - Fork entry points for easy site lifting and movement
- C** - Anti-jam pins for ease of stracking
- D** - 200kg loose or bagged ballast patented temporary base

- Conforms to **BS EN 1991**
- Conforms to **BS 6399**
- MDPE Material Base

