



Euro Barrier

SPECIFICATION SHEET

Euro Barrier

Our durable water filled Euro Barriers are a simple to deploy solution for re-routing traffic flow on roads and at a variety of sites.

Taller and wider than EVO Barriers, our Euro Barriers feature purpose-designed top grooves for full compatibility with reflective post and plank safety systems.

Available for purchase or hire and quickly delivered to sites anywhere in the UK, these heavy ballasted, stabilised prime polyethylene Euro Road Barriers comprise a simple interlocking-pin design, allowing easy and gap-less pivoting around corners and turns.

Euro Barrier Specification

| Length | Height | Width | Weight Empty | Weight Full |
|--------|--------|-------|--------------|-------------|
| 1000mm | 650mm | 550mm | 10kg | 50kg |
| 2000mm | 650mm | 550mm | 18kg | 100kg |

Key Features


- Available in one or two metre lengths
- The ideal way to redirect and separate traffic flows
- Requires no heavy lifting machinery
- Compatible with reflective post and plank
- Supplied in various colours
- Interlocking pin allows you to create 'S' shapes
- Fully stackable for transport and storage
- Compatibility with post and plank safety systems
- Simple to deploy
- Allows for angles and curves
- Delivery anywhere in the UK
- Available for hire or purchase

★ Trustpilot




1m Euro Barrier


Weight Empty 10kg - Weight Full 50kg



Locks Into Place With Overlap Knuckle



2m Euro Barrier



Euro Barrier Fence Extensions

For extra safety and security the Euro Barrier is compatible with both the Post and Rail and Mesh Fence extensions.

The mesh fence extension gives the Euro Barrier additional height, deterring passers by from potentially climbing over the barrier. The Post and Rail attachment is perfect for adding visibility to the barrier, with incorporated hi-vis reflective strip.

2m Euro Mesh Fence Specification

| Length | Height | Depth |
|--------|--------|-------|
| 1995mm | 545mm | 38mm |

1m Euro Mesh Fence Specification






| Length | Height | Depth |
|--------|--------|-------|
| 960mm | 525mm | 38mm |

2m Euro Post & Rail Specification

| Length | Height | Weight |
|--------|--------|--------|
| 2000mm | 600mm | 4.1kg |

1m Euro Post & Rail Specification

| Length | Height | Weight |
|--------|--------|--------|
| 1070mm | 600mm | 2.4kg |



Euro Barriers In Action

Here are some examples of 1 and 2 metre Euro Barriers setup on site.

These barriers are available in both one and two metre widths, they also stack neatly for convenient transportation.

While red and white are the most popular colours for Euro Barriers, we can produce them in many other hues too.

There is a choice to fill deployed Euro barriers with sand instead of water, for additional weight and resistance against impacts or attempted manoeuvring.

Euro Barrier Creating Curve



2m Euro Barriers



Euro Barriers On Site

Euro Barrier Segregating Traffic




Euro Barrier Line



Technical Details

Weight Empty 10kg - Weight Full 50kg



Technical Details

Weight Empty 18kg - Weight Full 100kg

2m Euro Barrier

Fill Hole

Interlocking Moulded
Female Section

650mm

2000mm

Forklift Slots

Interlocking
Moulded Male
Section