



Buddha Barrier

Specification Sheet
WFS150150

30/07/25

safesite[®]
F A C I L I T I E S



Buddha Barrier

The Buddha Barrier is a completely anti-trip water filled separator.

At 800mm in height, it creates a safer environment for pedestrians over traditional water filled separators. It can rotate over 270° due to its unique design and placed in a 90° corner layout if required to create small sealed off areas.



Option with DoubleTop Panels



Option with Mini DoubleTop Panels

Buddha Barrier Specification

Description	Size (mm)	Weight (kg)
WFS150150 – Buddha Barrier – Red (W/ Refeective Strips)	H800x W1040 x D280	27.5
WFS150160 – Buddha Barrier – White (W/O Refeective Strips)	H800x W1040 x D280	27.5
WFS150170 – Buddha Barrier – Red (W/O Refeective Strips)	H800x W1040 x D280	27.5
WFS150180 – Buddha Barrier – White (W/O Refeective Strips)	H800x W1040 x D280	27.5

Key Features

- Completely Anti-Trip
- Concave area can be used for spoil placement
- Pallet Quantity: 25
- Two can be faced together over exposed holes
- Connect to one another using the S-Clip
- Nationwide delivery and install available
- Manufactured from HDPE & 100% recyclable
- Custom company branding available
- Hi-Vis reflective strips available






DoubleTop Add-On

The Double Top has been designed to be a lightweight, durable fence panel, that eliminates the need for additional brackets that are used with the more conventional metal fence tops.

The Double Top has highly reflective sleeves on two of the vertical spindles for high visibility. It has a hook and eye connection making installation easy and efficient. Manufactured from HDPE and 100% recyclable.



DoubleTop Panel Specification

Description	Size (mm)	Weight (kg)
SBS201140 – DoubleTop Panel – Red	H1000 x W1115 x D350	4.4
SBS201145 – DoubleTop Panel – White	H1000 x W1115 x D350	4.4

Slots Into
The Top Of
The Buddha



Hook & Eye Connection







Mini DoubleTop Add-On

The Mini-DoubleTop is a compact version of the DoubleTop, crafted to fit into various barrier systems to enhance their height. Its sturdy design, coupled with additional reflective panels, ensures Chapter 8 compliance. This provides a secure and stable configuration, ensuring the safety of both the public and the workforce.

Mini DoubleTop Panel Specification

Description	Size (mm)	Weight (kg)
SBS201160 - Mini DoubleTop Panel - Red (W/ Reflective Strip)	H535 x W1115 x D60	3
SBS201165 - Mini DoubleTop Panel - White (W/ Reflective Strip)	H535 x W1115 x D60	3
SBS201170 - Mini DoubleTop Panel - Red (W/O Reflective Strip)	H535 x W1115 x D60	3
SBS201175 - Mini DoubleTop Panel - White (W/O Reflective Strip)	H535 x W1115 x D60	3






90° Degree Corner Layout

The Buddha Barrier can actually rotate over 270° due to its unique design.

Pivoting on its own connection pin the barrier can be placed in a perpendicular position, an angle previous water filled barriers have not been able to achieve.


The Barrier can also be positioned face to face, which creates a closed connections that can be used to cover exposed areas such as open manhole covers.



Closed Connection



Barrier At 90° Angle





Technical Details



1


SBS201140 –
DoubleTop Panel



Size (mm)	Weight (kg)
H1000 x W1115 x D60	3.5

2

SBS201160 –
Mini DoubleTop Panel



Size (mm)	Weight (kg)
H535 x W1115 x D60	2.8