

safesite[®]

F A C I L I T I E S

SafeMat

SPECIFICATION SHEET



SafeMat

HEAVY DUTY, EASY TO HANDLE ACCESS!
Our SafeMat system is a stand out market leading product for temporary access and ground protection, the SafeMat product is ideal for usage over soft or sensitive ground and can cope with loads of up to 120 tonnes*
(*Depending on ground conditions).

The SafeMat is essential for scenarios such as construction, civil engineering and groundwork industries, although they can also be used within the festival outdoor event sectors.

Specification

Length	Width	Depth	Weight
2400mm	1200mm	15mm	45kg


Key Features

- 6 Hand holes for easy handling and rapid installation
- Maximum weight loading - 120+ tonnes (depending on ground conditions)
- Robust connection pads, locked in place by industry leading nut, screw & washer system
- Unique 'non-slip' surface for optimal grip along with additional pedestrian surface
- Reverse side ideal for lighter vehicles such as fork lift trucks
- Unique Hand Hole Connectors
- Avoids health and safety issues
- Avoids vehicles becoming bogged down
- Low transportation and handling costs

Depth 15 mm - Weight: 45 kg

Six hand holes for ease of usage

★ Trustpilot



Strong Hand Hole Connectors



Rapid Install Covering Large Areas



SafeMat cont

Our SafeMats are manufactured from 100% recycled high density polyethylene (HDPE) and are weight tested to a maximum load of 120 tonnes*
("Depending on ground conditions).

The mats are ideal for both short and long term projects providing access for both heavy plant and machinery, whilst also providing stability for work personnel and the public.

This product is also the perfect solution for events such as concerts and festivals to ensure pedestrian and crowd safety.

The SafeMat has strategically positioned hand holes which make it extremely easy to off-load from trucks or pallets.

Their lightweight but heavy duty nature, also reduces transport costs, as well as enabling quick and easy installation by two operatives.

Technical Details

- SafeMats have a highly engineered, 'non-slip' surface, this substantially improves the grip and reduces side way slippage, even in the most challenging weather or ground conditions.
- SafeMats can be connected together using our simple yet effective Metal Hand Connector system.
- SafeMats can be customized with either a company logo and telephone number or even produced in corporate colours - subject to minimum order quantity.

Heavy Duty Loads Of Up To 120 Tonnes*



Interlock Multiple Sides



Machinery / Pedestrian Tread Pattern



Heavy Duty vehicle Tread Pattern

