

# Column Protectors \$200/\$300

The highly visible Column Protector is our newly launched solution to no more damage posts and supporting columns in the factory, warehouse or yard. It is designed to withstand multiple impacts and return back to shape.

The Column Protectors are available in two sizes and fits both square and rectangular posts. It can easily be moved and fitted by one person and is secured with a hook and loop fastening.

## S200 Specification

Height	Depth	Square Col	Rectangle Col	Weight
1100mm	610mm	210mm x 210mm	210mm x 260mm	27kg

## S300 Specification

Height	Depth	Square Col	Rectangle Col	Weight
1000mm	610mm	310mm x 310mm	310mm x 360mm	27ka

## Key Features

- Can be used for rectangular shaped columns with extra long strap
- Column guard Impact protection for columns
- Assemble in Seconds
- High visibility infills available
- Made from linear low density polyethylene (LLPE)
- UV stabilised (suitable indoors and outdoors)
- Wall thickness 6.4mm (1/4")
- Air pressure release to cushion the blow
- Rotationally moulded, UV stabilised
- No fixings required, fits over baseplate
- Available in two sizes
- Fits both square and rectangular posts



\* Trustpilot

 $|\star|\star|\star|\star|$ 





610mm



















# Column Protectors In Action

Here are some examples of our robust Column Protectors doing what they do best!

As you will see from the examples to the right, the Column Protector is a necessary piece of equipment when operating in a busy factory, warehouse or yard.

The Column Protector is highly visible, installation can be carried out by one person and there are no fixings required.





### Column Protectors On Site





















# Technical Details

### \$200 - Up to 210mm x 260mm

## **Specification**

Product Code: CP\$200


Dimmensions (mm): Height: 1100mm, Depth: 610mm

Max Square Column: 210mm x 210mm Max Rectangle Column: 210mm x 260mm

Weight (kg): 27kg Colours: Yellow

Fastener: Hook & Loop Webbing

No Per Pallet: 4



Each column protector is made from linear low density polythene (LLPE) Stress crack resistance; 550 hrs per ASTM D-1693 (110% LGEPAL) UV Stabilised (suitable indoors and outdoors)

### \$300 - Up to 310mm x 360mm

## **Specification**

Product Code: CPS300

Dimmensions (mm): Height: 1000mm, Depth: 610mm

Max Square Column: 310mm x 310mm Max Rectangle Column: 310mm x 360mm

Weight (kg): 27kg Colours: Yellow

Fastener: Hook & Loop Webbing

No Per Pallet: 4

