

Precast Concrete Gully Cover Slabs

Specification Sheet
CBS130010

05/09/25

safesite[®]
F A C I L I T I E S



Precast Concrete Gully Cover Slabs –Circular

Manufactured in accordance with BS 5911 – 6 standards, our circular gully cover slabs are designed to provide a durable, cost-effective alternative to traditional brickwork.

These slabs are ideal for seating gully grates on 450mm gullies, offering a flush fit against the kerb for improved stability and a clean finish.


With integrated handling recesses for lifting brackets, installation is quick and efficient, reducing on-site labour and eliminating the need for brick laying. The circular design ensures uniform coverage and robust support, helping to eliminate structural weak spots and improve drainage system performance.

Key Features


- Fast installation
- Flush fit – Sits neatly against kerb edges
- Improved stability
- Durable construction



Flat view of circular gully slab



Option for 65 or 100mm Thickness





Circular Gully Cover Slabs Specification

Description	Size (mm)	Weight (kg)
CBS130010 – Precast Concrete Gully Cover Slabs – Circular – 750 x 650 x 100mm	H100 x W750 x D650	78
CBS130020 – Precast Concrete Gully Cover Slabs – Circular – 750 x 650 x 65mm	H65 x W750 x D650	50



Technical Details – Circular Gully Slab



65mm or 100mm Thickness




Precast Concrete Gully Cover Slabs –U-Shaped

Our U-shaped gully cover slabs are precision-manufactured to BS 5911 – 6 standards, offering a practical solution for gully protection where kerb alignment is essential. The U shape allows for seamless placement next to kerb edges, ensuring a flush, stable fit.

These slabs are a stronger, more reliable alternative to on-site brickwork, with handling recesses for easy lifting and placement. Designed to eliminate weak spots and improve the overall integrity of surface water drainage systems, they're a smart choice for contractors seeking speed, strength, and simplicity.

Key Features


- Fast installation
- Flush fit – Sits neatly against kerb edges
- Improved stability
- Durable construction



Flat view of u-shaped gully slab



Option for 65 or 100mm Thickness





U-Shaped Gully Cover Slabs Specification

Description	Size (mm)	Weight (kg)
CBS130030 – Precast Concrete Gully Cover Slabs – U-Shaped – 585 x 650 x 100mm	H100 x W585 x D650	50
CBS130040 – Precast Concrete Gully Cover Slabs – U-Shaped – 585 x 650 x 65mm	H65 x W585 x D650	38



Technical Details – U-Shaped Gully Slab



65mm or 100mm Thickness